

SAFETY DATA SHEET

Section 1: Identification

Product name: Copper(II) oxide
Product use: For laboratory research purposes.
Supplier: Trace Sciences International
40 Vogell Rd Suite 42
Richmond Hill, ON L4B 3N6
CANADA
Telephone: +1 905-770-1100
Fax: +1 905-770-1160
Emergency Phone: CANUTEC +1-613-996-6666

Section 2: Hazard(s) Identification

2.1 GHS Classification

Short-term (acute) aquatic hazard (Category 1), H400
Long-term (chronic) aquatic hazard (Category 1), H410

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Warning

Hazard statement(s):

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s):

P273 Avoid release to the environment.
P391 Collect spillage.
P501 Dispose of contents/ container to an approved waste disposal plant

Section 3: Composition/ Information on Ingredients

Formula : CuO
Molecular Weight : 79.55 g/mol

Material	CAS-No.	EC-No.	Index-No.	Concentration
Copper (II) Oxide	1317-38-0	215-269-1	029-016-00-6	<=100%

Section 4: First-Aid Measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move person out of dangerous area if safe to do so.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water for at least 15 minutes. Use chemical shower if available. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Remove contacts if possible.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Section 5: Fire-Fighting Measures

5.1 Conditions of flammability

Not flammable or combustible.

5.2 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.3 Hazardous combustion products

Hazardous decomposition products formed under fire conditions: Copper oxides

5.4 Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.5 Further information

No data available

Section 6: Accidental Release Measures

6.1 Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

Section 7: Handling and Storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Section 8: Exposure Controls/Personal Protection

8.1 Components with workplace control parameters

No data available

8.2 Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Impervious clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Specific engineering controls

Use mechanical exhaust or laboratory fume hood to avoid exposure.

Section 9: Physical and Chemical Properties

Appearance

Form	Powder
Colour	Black

Safety Data

pH	No data available
Melting point/freezing point	1,336 °C (2,437 °F)
Boiling point	no data available
Flash point	Not applicable
Flammability (solid, gas)	No data available
Ignition temperature	No data available
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Vapour pressure	No data available
Density	6.320 g/cm ³
Water solubility	0.0001 g/l at 20 °C (68 °F) - insoluble
Partition coefficient: n-octanol/water	No data available
Relative vapour density	No data available
Odour	No data available
Odour Threshold	No data available
Evaporation rate	No data available

Section 10: Stability and Reactivity

10.1 Chemical stability

Stable under recommended storage conditions

10.2 Possibility of hazardous reactions

Risk of explosion with:
Aluminum

Violent reactions possible with:

Boron, hydrazine and derivatives, hydroxylamine, sodium, magnesium

Risk of ignition or formation of inflammable gases or vapours with:

hydrogen sulphide, fluorine, silane, hydrides, potassium, acid anhydrides, hydrogen

10.3 Conditions to avoid

No data available

10.4 Materials to avoid

No data available

10.5 Hazardous decomposition products

See section 5

Section 11: Toxicological Information

Acute toxicity

Oral

LD50 Oral - Rat - male - > 2,500 mg/kg
(OECD Test Guideline 423)

Inhalation

No data available

Dermal

LD50 Dermal - Rat - male and female - > 2,000 mg/kg
(OECD Test Guideline 402)

Other information on acute toxicity

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h
(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation – 72 h
(OECD Test Guideline 405)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Remarks: The value is given in analogy to the following substances: Copper(II) sulphate

Test Type: unscheduled DNA synthesis assay

Species: Rat

Cell type: Liver cells

Application Route: Oral

Method: OECD Test Guideline 486

Result: negative

Remarks: The value is given in analogy to the following substances: Copper(II) sulphate

Test Type: Micronucleus test

Species: Mouse

Cell type: Red blood cells (erythrocytes)

Application Route: Oral

Method: Directive 67/548/EEC, Annex V, B.12.

Result: negative

Remarks: The value is given in analogy to the following substances: Copper(II) sulphate

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

No data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

No data available

Aspiration hazard

No data available

Signs and Symptoms of Exposure

Symptoms of systemic copper poisoning may include: capillary damage, headache, cold sweat, weak pulse, and kidney and liver damage, central nervous system excitation followed by depression, jaundice, convulsions, paralysis, and coma. Death may occur from shock or renal failure. Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelination, kidney defects, and copper deposition in the cornea as exemplified by humans with Wilson's disease. It has also been reported that copper poisoning has led to hemolytic anemia and accelerates arteriosclerosis.

Additional Information

RTECS: GL7900000

Section 12: Ecological Information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Very toxic to aquatic life.

Section 13: Disposal Considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

Section 14: Transport Information

IATA

UN number: UN3077 Class: 9 Packing group: III
Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Copper oxide)

Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Section 16: Other Information

Further information

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for his or her particular purpose(s).

Trace Sciences International.

See <https://www.tracesciences.com/> for additional terms and conditions of sale.

Date Prepared: February 10, 2025